

# SAFETY DATA SHEET

## SECTION 1. COMPANY IDENTIFICATION

MANUFACTURER NAME : Onsight Corporation.

ADDRESS : 155-2, Oohata, Kasukabe, Saitama

code:344-0022, Japan

Phone : 81-48-812-7100 FAX : 81-48-812-7123

DATA PREPARED : 03/24/2016

PRODUCT NAME : OS GC2000

PRODUCT CLASSIFICATION : Silicone Coating Agent

## SECTION 2. COMPOSITION

SINGLE OR MIXTURE : Mixture

Organopolysiloxane mixture

HAZARDOUS COMPONENT(S) / (CAS No.) :

Alko-xid / Confidential Flammable Liquid : ca. 1~2%

Alko-xylene / Confidential Flammable Liquid : ca. 88~91%

polysiloxane / Confidential Flammable Liquid : ca. 3~5%

dimethylpolysiloxane/Alko-xylene / Confidential Flammable Liquid : ca. 3~5%

## SECTION 3 : HAZARDS IDENTIFICATION

### GHS classification

**Physical hazards** Flammable liquids Category 4

**Health hazards** The product is not classified according to GHS.

**Environmental hazards** The product is not classified according to GHS.

### GHS label elements

**Signal words** Warning

**Hazard statement** Combustible liquid.

### Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** In case of fire: Use appropriate extinguishing media for extinction.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards** This product slowly reacts with water, acids or bases to evolve following compounds:

Methanol

**Emergency overview** May be ignited by heat, sparks or flames.

#### **SECTION 4. FIRST AID MEASURES**

- If inhaled** Move to fresh air. Call a physician if symptoms develop or persist.
- If on skin** Wash skin with soap and water. Get medical attention if irritation develops and persists.
- If in eyes** Rinse immediately with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
- If swallowed** Rinse mouth. Get medical attention immediately.

#### **Protection of first-aid responders**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**Notes to physician** Treat symptomatically.

#### **SECTION 5. FIRE FIGHTING MEASURES**

**Extinguishing media** Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Extinguishing media to avoid** Water.

**Specific hazards** By heating and fire, harmful vapors/gases may be formed.

#### **Special fire fighting procedures**

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Protection of fire-fighters** Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

##### **Personal precautions, protective equipment and emergency measures**

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Ensure adequate ventilation. Wear appropriate personal protective equipment.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

##### **Methods or materials for containment and cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Prevent entry into waterways, sewer, basements or confined areas.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

## SECTION 7. HANDLING AND STORAGE

### Handling

#### Technical measures (e.g. Local and general ventilation)

All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Provide adequate ventilation.

**Safe handling advice** Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Do not breathe mist or vapor. Avoid prolonged exposure. Use care in handling/storage.

**Contact avoidance measures** Refer to section 10: stability and reactivity.

**Hygiene measures** Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

### Storage

**Safe storage conditions** Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Store in a well-ventilated place.

**Safe packaging materials** Keep in original container.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### EXPOSURE GUIDELINE

ACGIH TLV-TWA : Not established.

OSHA PEL : Not established [Alko-xylene]

ACGIH TLV-TWA : Not established.

OSHA PEL : Not established. [Alko-xylene]

ACGIH TLV-TWA : Not established.

OSHA PEL : Not established. [Aluminum-chelate compound]

ACGIH TLV-TWA : TLV-TWA : 1mg/m<sup>3</sup> ; STEL 3mg/m<sup>3</sup>

OSHA PEL : Not established. 8H TWA 1mg/m<sup>3</sup> [Phosphoric acid]

ACGIH TLV-TWA : 200ppm : STEL250ppm (SKIN).

OSHA PEL : 8H TWA 200ppm [Methanol ; decomposed product]

RESPIRATORY PROTECTION (specify type) :

Recommended

VWNTILATION :

Local EXHAUST : Required

MECHANICAL (general) : Adequate ventilation system

SPECIAL : Unknown

OTHER : Unknown

PROTECTIVE GLOVES :

Plastic film or rubber gloves

EYE PROTECTION

Safety Glasses

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Safety shower and eye wash equipment

**WORK / HYGIENIC PRACTICES :**

Keep away from heat, spark and flame.

Avoid prolonged breathing vapor.

Avoid contact with eye and skin.

Wash hands and gargle after handling.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance**

**Form** Liquid.

**Color** Colorless. Clear.

**Odor** Slight odor.

**pH** Not available.

**Melting point/Freezing point** Not applicable

**Boiling point, initial boilingpoint, and boiling range** Not applicable

**Flash point** 145.4 ° F (63 ° C) Closed Cup

**Auto-ignition temperature** > 392 ° F (> 200 ° C)

**Flammability limit – lower (%)** 6.0 % v/v [Methanol ; impurity]

**Flammability limit – upper (%)** 36.0 % v/v [Methanol ; impurity]

**Vapor pressure** No data

**Vapor density** > 1 (air=1)

**Evaporation rate** < 1 (Butyl Acetate=1)

**Specific gravity** 1.08 ( 25 ° C )

**Solubility (Water)** Not soluble (Hydrolyzed with water)

**Partition coefficient(n-octanol/water)** Not available.

**Decomposition temperature** Not available.

**SECTION 10. STABILITY AND REACTIVITY**

**Reactivity** Slowly reacts with water, acids or bases.

**Chemical stability** Stable at normal conditions.

**Possibility of hazardous reactions**

Hazardous polymerization does not occur.

**Conditions to avoid** None specific.

**Incompatible materials** Strong oxidizing agents. Water, acids or alkalis

**Hazardous decomposition products**

This product slowly reacts with water, acids or bases to evolve following compounds:

Methanol

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product:

Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide.

Formaldehyde.

## SECTION 11. TOXICOLOGICAL INFORMATION

SKIN IRRITATION :

SKIN-RABBIT : 20mg/24Hr MODERATE

[Methanol ; decomposed product]

ACUTE TOXICITY (LD50) :

LD50 (Oral/Mouse) : 18.16ml/kg (Aluminum-chelate compound)

LD50 (Oral/Rat) : 5.628g/kg [Methanol : decomposed product]

ACUTE TOXICITY (LC50) :

LC50 (Inhalation/Rat) : 64000ppm/4hr

[Methanol ; decomposed product]

CHRONIC TOXICITY : May cause conjunctivitis, dizziness, sleeplessness, and gastrointestinal and optical disturbances [Methanol : decomposed product] :

CARCINOGENICITY : NTP : Not listed, IARC : Not listed, OSHA REGULATED : Not listed

OTHER INFORMATION : None

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicological data Components**

Methanol (Impurity) (CAS 67-56-1)

<b>Aquatic</b>		<b>Species</b>	<b>Test Results</b>
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
<b>Ecotoxicity</b>	Not available.		

## SECTION 13. DISPOSAL CONSIDERATION

**Local disposal regulations**

Incinerate. Incinerator should be appropriately equipped for silica and other fine powder which the product will generate in incineration. Workers should wear appropriate personal protective equipment(s) such as respirator. Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14. TRANSPORT INFORMATION

**International regulations**

**IATA** Not regulated as dangerous goods.

**IMDG** Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

This product is not intended to be transported in bulk.

**National regulations** Follow regulation in section 15 for domestic transportation.

**Emergency Response Guide Number** 128

## SECTION 15. REGULATORY INFORMATION

### Industrial Safety and Health Act

Dangerous substances Flammable

#### Specified substances regulation

Class 1 designated chemical substances Not regulated.

Class 2 designated chemical substances Not regulated.

Class 3 designated chemical substances Not regulated.

#### Organic solvent regulation

Class 1 organic solvents Not regulated.

Class 2 organic solvents Not regulated.

Class 3 organic solvents Not regulated.

Notifiable substances METHANOL 0.10 – 0.50 %

Labeling substances Not applicable

### Poisonous and Deleterious Substances Control Act

Specified poisonous substances Not regulated.

Poisonous substances Not regulated.

Deleterious substances Not regulated.

### Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substances Not regulated.

Class II specified chemical substances Not regulated.

Monitoring chemical substances Not regulated.

Priority Assessment Chemical Substances (PACs) METHANOL

### Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content) Not applicable

Class 1 substances (substance name, ordinance number and content) Not applicable

Class 2 substances (substance name, ordinance number and content) Not applicable

Fire Service Act Class 4 Group 2 oils (Non-water soluble) Hazard rank III

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule Not regulated.

Air Law, Enforcement Rule Not regulated.

Explosives Control Act Not applicable.

High Pressure Gas Safety Act Not applicable.

Act on Prevention of Marine Pollution and Maritime Disaster Not applicable.

## SECTION 16. OTHER INFORMATION

For Industrial Use Only. This material safety data sheet is offered solely for your information Consideration and investigation.

The data described in this MSDS consist of data on literature, our acquisitioned data and analogical inference by data of similar chemical substance or product.

Onsight Corporation. provides no responsibility for the accuracy or completeness of the data contained herein.